



Franz Holz GmbH & Co. KG
Langenberger Str. 176 • DE-42551 Velbert (Germany)

Phone: ++49 (0) 2051-2082-0

E-mail: post@franz-holz.de

Website: www.franz-holz.de

The fast connection:

International sales:

Haincourt, Edwige ++49 (0) 2051-2082-26
Huppertsberg, Peter ++49 (0) 2051-2082-27

edwige.haincourt@franz-holz.de
peter.huppertsberg@franz-holz.de

National sales:

Piepenbrock, Klemens ++49 (0) 2051-2082-24
Winchenbach, Frank ++49 (0) 2051-2082-23

klemens.piepenbrock@franz-holz.de
frank.winchenbach@franz-holz.de

	Material thickness:	Page:	
Continuous piano hinges	0,70 - 1,25 mm	2 - 6	
Heavy load continuous hinges	1,25 - 3,00 mm	7 - 10	
Cigar & Jewellery box hinges	0,40 - 0,50 mm	11	
DIY packed piano hinges		12 - 15	
Bookcase strips / Vari strips		16	
Custom made hinges & materials		17	
Plated cold rolled steel		18	
Our representations		19	

Continuous piano hinges



Steel & plated steel

Material thickness: 0,70 mm

- 60,4 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø
- 3500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Drilled and countersunk screw holes

	open width / mm									item #
	14	16	18	20	25	28	32	40	50	
plain steel				0003	0012	*0023	0036	0059	0063	
brass plated & clear bake lacquered	10545	*4077		0119	0122	0126	0165	0184	0189	
nickel plated & clear bake lacquered		*5115	*12930	0195	0199	0202	0241	0260	0265	
florentine/statuary bronzed & clear lacq.				0271	0274	0277	0316	0335	0339	
zinc plated				0363	1479	1480	0366	16293		

No holes / weldable

	open width / mm									item #
	14	16	18	20	25	28	32	40	50	
plain steel				0002	0011	0022	0035	0058	0062	
brass plated & clear bake lacquered	10544			0118	0120	0124	0142	0181	0188	
nickel plated & clear bake lacquered				0194	0196	0200	0218	0257	0264	
florentine/statuary bronzed & clear lacq.				0270	0272	0275	0293	0332		
zinc plated				0362	9147	12372	0365			

Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
plain steel	17135	10556		17972			
brass plated & clear bake lacquered	6401	0524	0525	0526	0527		
nickel plated & clear bake lacquered		0528	0529	0530	0531	5675	
florentine/statuary bronzed & clear lacq.		0532	0533	0534	0535		
stainless steel - glossy - stainless steel pin	15253	0540		0541	0542	15018	
solid brass - solid brass pin		0536	0537	2176	0539		

25 meter rolls



Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
plain steel		17487		1181	11904		
brass plated & clear bake lacquered	6962	1182	9056	1183	1186	9178	
nickel plated & clear bake lacquered	10624	8603		6131	5674	5675	
florentine/statuary bronzed & clear lacq.				10630		18932	
stainless steel - glossy - stainless steel pin	13917	12174		5521	9769	13450	
solid brass - solid brass pin		3407		3689	13264		

50 meter rolls





14 and 28 mm width only available with 60,0 mm hole spacing

* length: 3.480 mm

free spaces on request

Continuous piano hinges



Steel & plated steel

Material thickness: 1,00 mm

- 60,5 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø
- 3500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
plain steel		1280	1868	3305	1540	7296	
brass plated & clear bake lacquered				3351	1873	1874	
nickel plated & clear bake lacquered	16640	2807		2705	2190	2578	
florentine/statuary bronzed & clear lacq.				6651		4497	
zinc plated	15393	15327		9317	1293		

No holes / weldable

	open width / mm						item #
	20	25	28	32	40	50	
plain steel	1690	1279	1867	0046	1539	1092	
brass plated & clear bake lacquered				3556	1872		
nickel plated & clear bake lacquered	16639	8995		5160		13050	
zinc plated	15392	15326		8652	1291		


Aluminium

Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
steel pin				2817			
aluminium pin		1891		2821	7804		
stainless steel pin				2819			


No holes / weldable

	open width / mm						item #
	20	25	28	32	40	50	
steel pin				2816			
aluminium pin	15289	1890		2820	7803		
stainless steel pin		14120		2818	14142		



free spaces on request

Continuous piano hinges



Solid brass

Material thickness: 0,70 mm

- 60,4 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø
- 3500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
steel pin	0369	0374	0380	0386	0392	0397	
solid brass pin	0371	1164	0383	0389	0395	0399	
stainless steel pin	8956			2682			

No holes / weldable

	open width / mm						item #
	20	25	28	32	40	50	
steel pin	0368	0372	0378	0384	0390	0396	
solid brass pin	0370	0375	0381	0387	0393	0398	


Material thickness: 1,00 mm

Drilled and countersunk screw holes

	open width / mm						item #
	20	25	28	32	40	50	
steel pin		6144		3276	2103	1884	
solid brass pin	1239	1877	1879	3277	2105	3813	
stainless steel pin		3463		4263	4264		


No holes / weldable

	open width / mm						item #
	20	25	28	32	40	50	
steel pin				1880	2102	1883	
solid brass pin	1238	1876	1878	1882	2104	14892	
stainless steel pin				13115			



free spaces on request

Continuous piano hinges



Stainless steel

- 60,4 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø
- 3500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request


Material thickness: 0,70 mm

Drilled and countersunk screw holes

	open width / mm							item #
	20	25	28	30,5	32	40	50	
glossy finish	0426	0430	3609		0438	0452	7144	
natural finish	0462	0464			1562	0470		

No holes / weldable

	open width / mm							item #
	20	25	28	30,5	32	40	50	
glossy finish	0425	0429	3608		0436	0449	11656	
natural finish	0461	0463			0465	0467		



Material thickness: 1,00 mm

- 60,5 mm hole spacing

Drilled and countersunk screw holes

	open width / mm							item #
	20	25	28	30,5	32	40	50	
glossy finish	3622	1887	1889	0435	7505	0454	3250	

No holes / weldable

	open width / mm							item #
	20	25	28	30,5	32	40	50	
glossy finish	3621	1779	1888	0434	7504	0453	458	

free spaces on request

Continuous piano hinges - US Type



Steel & plated steel

Material thickness 1,00 mm (.040") with 3,00 mm (.12") pin

- 50,8 mm (2") hole spacing
- 12,7 mm (1/2") knuckle length
- 1.830 mm (72" / 6 ft.) stock length
- cut to size lengths on request

Drilled and countersunk screw holes

	open width				item #
	28 mm 1.1/16"	32 mm 1.1/4"	38 mm 1.1/2"	50 mm 2"	
plain steel	0543	0552	0561	0569	
brass plated & clear bake lacquered	0585	0593	0601	0609	
nickel plated & clear bake lacquered	0625	0633	0641	0649	
florentine/statuary bronzed & clear bake lacq.	0664	0672	0680	0688	

Material thickness 1,25 mm (.049") with 2,50 mm (.10") pin

Drilled and countersunk screw holes

	open width				item #
	28 mm 1.1/16"	32 mm 1.1/4"	38 mm 1.1/2"	50 mm 2"	
plain steel					
brass plated & clear bake lacquered				2525	
nickel plated & clear bake lacquered					
florentine/statuary bronzed & clear bake lacq.					

Solid brass

Material thickness 1,00 mm (.040") with 3,00 mm (.12") pin

Drilled and countersunk screw holes


	open width				item #
	28 mm 1.1/16"	32 mm 1.1/4"	38 mm 1.1/2"	50 mm 2"	
steel pin	8276				
solid brass pin	5524	5526	5528	5531	

Stainless steel

Material thickness 1,00 mm (.040") with 3,00 mm (.12") pin


Drilled and countersunk screw holes

	open width				item #
	28 mm 1.1/16"	32 mm 1.1/4"	38 mm 1.1/2"	50 mm 2"	
glossy finish	0709	0711	0714	0716	



free spaces on request

Heavy load industrial hinges



No holes / weldable

- 30 mm knuckle length
- 3.500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Steel (with steel pin)

Material thickness	pin Ø	open width / mm							item #
		32	40	45	50	60	70	80	
1,25 mm	2,50 mm	0761	0765	0777	0789	0801	9025		
1,25 mm	6,00 mm		0767	0779	0791	0803			
1,50 mm	3,00 mm	0763	0769	0783	0793	0805	0813	9760	
2,00 mm	4,00 mm	16491	0771	0785	0795	0807	15600		
2,00 mm	6,00 mm		0773	0787	0797	0809	0815	0819	
3,00 mm	6,00 mm		0775		0799	0811	0817	0821	
3,00 mm	*10,00 mm					8878	8879	8880	

Material thickness	pin Ø	open width / mm							item #
		100	120	140	150	160	170	180	
2,00 mm	6,00 mm	0827	9951	12049	12058	12052	13043	12055	
3,00 mm	6,00 mm	0829	11899	11896	12060	11897	12047	11898	
3,00 mm	*10,00 mm	*8881	*12095	*12092	*12094	*12093	*11895		

* available in lengths of max. 3.000 mm

Steel (with solid brass pin)


Material thickness	pin Ø	open width / mm							item #
		32	40	45	50	60	70	80	
1,25 mm	2,50 mm	0762	0766	0778	7974	0802			
1,25 mm	6,00 mm		0768	0781	0792	0804			
1,50 mm	3,00 mm	0764	0770	0784	0794	0806	0814		
2,00 mm	4,00 mm	17628	0772	*7410	*0796	*7491			
2,00 mm	6,00 mm		0774	0788	0798	0810	0816	820	
3,00 mm	6,00 mm		0776		0800	0812	0818	822	

Material thickness	pin Ø	open width / mm							item #
		100	120	140	150	160	170	180	
2,00 mm	6,00 mm	0828	12062	12050	12059	12053	12044	12056	
3,00 mm	6,00 mm	0830	12063	12051	12061	12051	12048	12057	



Zinc plated steel (with steel pin)

Material thickness	pin Ø	open width / mm								item #	
		32	40	45	50	60	70	80	100		120
1,25 mm	2,50 mm	9849	1213	3789	1215	1217					
1,25 mm	6,00 mm			2551							
1,50 mm	3,00 mm	1212	1214		1216	8932	8933	7041			
2,00 mm	4,00 mm		0832	0833	0834	0836					
2,00 mm	6,00 mm		6174		0835	0837	0838	7072	9952	9953	
3,00 mm	6,00 mm		7932		3188		14978		14479		

free spaces on request



Heavy load industrial hinges



Drilled and countersunk screw holes

- 90 mm hole spacing
- 30 mm knuckle length
- 3.500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Steel (with steel pin)

Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,25 mm	2,50 mm	1989	2607		1506	4658				
1,25 mm	6,00 mm		10620	6723	9520					
1,50 mm	3,00 mm	3602	10157	9980	1321	3652		15304		
2,00 mm	4,00 mm		3308		12111					
2,00 mm	6,00 mm		4173	13343	3302	2548	7389	3303	1211	
3,00 mm	6,00 mm				8944	5615	8946	3392	8948	
3,00 mm	10,00 mm									

* available in lengths of max. 3.000 mm

Steel (with solid brass pin)


Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,50 mm	3,00 mm	6531								
2,00 mm	6,00 mm				5928					

Zinc plated steel (with steel pin)

Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,25 mm	2,50 mm	10878	6097		9140	8587				
1,25 mm	6,00 mm									
1,50 mm	3,00 mm		2964		6843	9797		9495		
2,00 mm	4,00 mm		10166		12111					
2,00 mm	6,00 mm		9217		6757	1930	7934	8026	17122	
3,00 mm	6,00 mm								17521	

open width of 120 / 140 / 160 / 170 & 180 mm on request

free spaces on request



Heavy load industrial hinges




No holes / weldable

- 30 mm knuckle length
- 3.500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Stainless steel (with stainless steel pin)

Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80		
1,25 mm	2,50 mm	0874	0876	0881	0885	0889				
1,25 mm	6,00 mm		0877	0882						
1,50 mm	3,00 mm	0875	0878	0883	0886	0890	0893	9996		
2,00 mm	4,00 mm	16492	9869	7431	7264	12993				
2,00 mm	6,00 mm		0879	0884	0887	0891	0894	0896		
3,00 mm	6,00 mm		0880		0888	0892	0895	0897		
3,00 mm	10,00 mm					*10384	*12077	*12078		



Material thickness	pin Ø	open width / mm								item #
		100	120	140	150	160	170	180		
2,00 mm	6,00 mm	0900	9955	12067	12074	12069	12064	12072		
3,00 mm	6,00 mm	0901	12079	12068	12075	12070	12065	12073		
3,00 mm	10,00 mm	*12994	*12080	*11976	*12076	*12071	*12066			

* available in lengths of max. 3.000 mm

Solid brass (with brass pin)

Material thickness	pin Ø	open width / mm										item #
		32	40	45	50	60	70	80	100	120		
1,25 mm	2,50 mm	0839	0841	0848	0853	0859						
1,25 mm	6,00 mm		0842	0849	0854	0860						
1,50 mm	3,00 mm	0840	0844	0850	0855	0861	0865					
2,00 mm	6,00 mm		0846	0852	0857	0863	0866	0868	0872	9954		
3,00 mm	6,00 mm		0847		0858	0864	0867	0869	0873			


Aluminium (with aluminium pin)

Material thickness	pin Ø	open width / mm										item #
		32	40	45	50	60	70	80	100	120		
1,25 mm	2,50 mm	0903	0907	0913	0918	0924						
1,50 mm	3,00 mm	0905	0909	0915	0920	0926	0930					
2,00 mm	6,00 mm		0910	0916	0921	0927	0931	0933	0937	9956		
3,00 mm	6,00 mm		0911		0922	0928	0932	0934	0938			

open width of 140 / 160 / 170 & 180 mm on request

free spaces on request

Heavy load industrial hinges



Drilled and countersunk screw holes

- 90 mm hole spacing
- 30 mm knuckle length
- 3.500 mm stock lengths / optional 2.000 mm
- cut to size lengths on request

Stainless steel *(with stainless steel pin)*

Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,25 mm	2,50 mm	2545	1931		3280	1510				
1,25 mm	6,00 mm		4251	9254						
1,50 mm	3,00 mm	1218	9269	2516	1220	1222	8165	9997		
2,00 mm	4,00 mm	17003	11278	*11608	10935	13541				
2,00 mm	6,00 mm		2194		3374	2289	5365	5690	6442	
3,00 mm	6,00 mm		10379		1835	6844	3818	3309	7297	
3,00 mm	10,00 mm					*10108				

* available in lengths of max. 3.000 mm

Solid brass *(with brass pin)*


Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,25 mm	2,50 mm	2543	3695		5388	6558				
1,50 mm	3,00 mm	2336	8926		2053	1273	18154			
2,00 mm	6,00 mm		13163		11167	9316	7198	17568		
3,00 mm	6,00 mm						16834	4294		

Aluminium *(with aluminium pin)*

Material thickness	pin Ø	open width / mm								item #
		32	40	45	50	60	70	80	100	
1,25 mm	2,50 mm	4993	5839							
1,25 mm	6,00 mm									
1,50 mm	3,00 mm	2385	10160		7837		17361			
2,00 mm	6,00 mm		13048		7520	10141	6829	7203		
3,00 mm	6,00 mm				6671		16813			

open width of 120 / 140 / 160 / 170 & 180 mm on request

free spaces on request



Cigar and jewellery box hinges



Material thickness 0,40 mm

nail / screw holes

• 1,15 mm steel pin Ø

open width:	9 mm	9 mm	9 mm	9 mm	9 mm		
length:	12 mm	15 mm	18 mm	30 mm	50 mm		
brass plated & clear bake lacquered	9642	9643	9644	9645	12511		item #

open width:	12 mm	12 mm	12 mm	12 mm	12 mm	12 mm	12 mm	
length:	12 mm	14 mm	16 mm	18 mm	20 mm	25 mm	32 mm	
brass plated & clear bake lacquered	9649	9650	9651	10212	9653	9654	9652	item #

open width:	14 mm	14 mm	14 mm				
length:	20 mm	23 mm	35 mm				
brass plated & clear bake lacquered	9656	9658	9657				item #

Material thickness 0,50 mm

nail / screw holes

open width:	16 mm	16 mm	18 mm	18 mm	18 mm		
length:	20 mm	25 mm	25 mm	30 mm	40 mm		
brass plated & clear bake lacquered	9661	9660	9664	9665	9663		item #

Material thickness 0,40 mm

nail / screw holes

open width:	9 mm	12 mm	14 mm	
brass plated & clear bake lacquered	9646	9647	9655	item #
nickel plated & clear bake lacquered		9686		

Material thickness 0,50 mm

nail / screw holes

open width:	16 mm	18 mm		
brass plated & clear bake lacquered	9659	9662		item #

5 meter rolls



free spaces on request

Piano hinges



D.I.Y. packing - hang up (incl. blue or red hanger) with pozi-drive screws in poly-bag

Material thickness 0,70 mm

Drilled and countersunk screw holes

- 60,4 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø

300 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			2434	
nickel plated & clear bake lacquered			2438	
florentine/statuary bronzed & clear bake lacq.			2444	
solid brass - brass pin			2455	
stainless steel (glossy) - stainless steel pin			2542	

400 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1546	9727	0492	

500 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1697	3116	0493	
zink plated			10018	
solid brass - brass pin			2192	
stainless steel (glossy) - stainless steel pin			9530	

600 mm (length)


	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1549	9728	0494	
nickel plated & clear bake lacquered			2439	
florentine/statuary bronzed & clear bake lacq.			2445	
solid brass - brass pin			2450	
stainless steel (glossy) - stainless steel pin			2456	

750 mm (length)


	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0495	
zink plated			10019	

900 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1548	9729	0496	
nickel plated & clear bake lacquered			2440	
florentine/statuary bronzed & clear bake lacq.			2446	
solid brass - brass pin			2451	
stainless steel (glossy) - stainless steel pin			2457	



free spaces on request



1000 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered		2286	0497	
nickel plated & clear bake lacquered		2790	1925	
florentine/statuary bronzed & clear bake lacq.			10020	
solid brass - brass pin			2193	
stainless steel (glossy) - stainless steel pin			9531	

1200 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1549	9730	0498	

1250 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0499	
zink plated			10021	

1500 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered	1550	3117	0500	
zink plated			10022	
stainless steel (glossy) - stainless steel pin			9637	

1750 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0501	
zink plated			10023	
stainless steel (glossy) - stainless steel pin			9829	

1800 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0502	

2000 mm (length)


	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			4930	

2050 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0503	


2100 mm (length)

	open width / mm			item #
	20	25	32	
brass plated & clear bake lacquered			0504	



free spaces on request


Piano hinges



D.I.Y. hinge with removable flap

Material thickness 0,70 mm

Drilled and countersunk screw holes



- 60,4 mm hole spacing
- 15 mm knuckle length
- 1,75 mm pin Ø

400 mm (length)

	open width / mm		item #
	20	32	
brass plated & clear bake lacquered	18684	18688	
nickel plated & clear bake lacquered			
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-		

480 mm (length)


	open width / mm		item #
	20	32	
brass plated & clear bake lacquered		18636	
nickel plated & clear bake lacquered		18638	
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-		

600 mm (length)


	open width / mm		item #
	20	32	
brass plated & clear bake lacquered	18685	18689	
nickel plated & clear bake lacquered	18680	18682	
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-	18693	

720 mm (length)

	open width / mm		item #
	20	32	
brass plated & clear bake lacquered		18637	
nickel plated & clear bake lacquered		18639	
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-		



free spaces on request



900 mm (length)


	open width / mm		item #
	20	32	
brass plated & clear bake lacquered	18686	18690	
nickel plated & clear bake lacquered			
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-	18694	

960 mm (length)

	open width / mm		item #
	20	32	
brass plated & clear bake lacquered		18623	
nickel plated & clear bake lacquered		18640	
florentine/statuary bronzed & clear lacq.			
stainless steel - glossy - stainless steel pin	-	18923	

1200 mm (length)

	open width / mm		item #
	20	32	
brass plated & clear bake lacquered	18687	18691	
nickel plated & clear bake lacquered	18681	18683	
florentine/statuary bronzed & clear lacq.		18696	
stainless steel - glossy - stainless steel pin	-	18695	



free spaces on request

Bookcase strips

Vari strips

- stock lengths 3.500 mm / optional 2.000 mm
- cut to size lengths on request



	Size Material thickness Slott spacing Screw hole spacing	10 x 5 mm 0,60 mm 15 mm 105 mm	Size Material thickness Slott spacing Screw hole spacing	16 x 6 mm 0,70 mm 14 mm 98 mm	
plain steel		0979		0981	item #
brass plated & clear bake lacquered		0983		0985	
nickel plated & clear bake lacquered		0987		0990	
florentine/statuary bronzed & clear bake lacq.		0992		0994	
stainless steel (glossy)		3577		0996	



	Size Material thickness Slott spacing Screw hole spacing	32 x 9 mm 0,60 mm 14 mm 98 mm	Size Material thickness Slott spacing Screw hole spacing	42 x 5 mm 0,65 mm 12,5 mm 98 mm	
plain steel	no holes - weldable			7622	item #
stainless steel (glossy)	no holes - weldable	0999			
stainless steel (glossy)	with screw holes	1002			

Supports for bookcase strips with stud



	Size Material thickness	10 mm 1,25 mm	Size Material thickness	16 mm 1,50 mm	
plain steel		1013		1018	item #
brass plated & clear bake lacquered		1014		1019	
nickel plated & clear bake lacquered		1015		1020	
florentine/statuary bronzed & clear bake lacq.		1016		1021	
zink plated		1017		1022	
stainless steel		13108		2057	
packing units / pieces per carton box		1.000		300	

On request



special & custom made hinges and bookcase strips concerning individual drawings or samples

bending, right angle bending, unequal and reversed leaves

cut to size lengths

welded pin

rounded edges




Packing

bundles (wrapped in sodium paper between two wooden laths)

strong carton boxes

seaworthy wooden boxes

Prime materials	Material thickness	Grade	
Steel	0,70 - 1,00 mm	DC 01, C 290 MC	free of cracks and pores high brilliant
	1,25 - 1,50 mm	DC 01	bright
	2,00 - 3,00 mm	DD 11	bright
Stainless Steel	0,70 - 3,00 mm	1.4016 - 1.4301 (V2a) & 1.4404 (V4a)	
Brass	0,70 - 1,00 mm	Cu Zn 37	glossy
	1,25 - 3,00 mm	Cu Zn 37	natural bright
Aluminium	0,70 - 3,00 mm	AlMg 3 G 22	natural bright



Plated cold rolled steel

Surface: glossy nickel plated and clear bake lacquered or unlacquered
satin nickel plated and clear bake lacquered or unlacquered

glossy brass plated and clear bake lacquered or unlacquered
satin brass plated and clear bake lacquered or unlacquered

florentine (statuary) bronzed and clear bake lacquered

Optional: strippable protective film on upper side

Thickness: 0,30 - 1,25 mm

Width: 12 - 198 mm

Grades: DC01 - DC04

Hardness: LC / C290 / C390 / C440 / C490

Edges: cut


Coild inside Ø: 300 / 400 or 508 mm



Packing:

Standard: single bound coils laying on palet covered with shrink foil

Special packing: intermediate wooden blocks
oversea packing in wooden boxes with VCI paper and Silicagel drybag
multiple way palets with carton box



Our representations:



Denmark / Sweden / Finland / Norway

CJ Holm
Tom Kristensens Vej 6, 216
DK - 2300 København
Denmark

Contact
Phone

E-mail
Website

Frederik Kortbeak
++45 (0) 2625 4550

postkasse@cjholm1887.dk
<http://www.cjholm1887.dk>



Netherlands, Belgium & Luxemburg

Ruro Gereedschappen b.v.
Vestingdok 4
3433 KR Nieuwegein
Netherlands

Contact
Phone

E-mail
Website

Cor Schaap
+31 (0)30 608 42 42

info@ruro.nl
www.ruro.nl



United Kingdom &/ Ireland

T.D. Guillon Agencies
11 Southfield Drive
Yeovil
Somerset, BA21 3FJ
Great Britain

Contact
Phone
Mobil

E-mail

Miles Guillon
+44 (0) 1929 46 29 11
+44 (0) 7807 070847

guillon.agencies@btconnect.com



Greece

E. Diamantopoulou & CO O.E.
Lisikratous 83
17455 Athen/ Alimos
Greece

Contact
Phone

E-mail

Website

Eva Diamantopoulos
+30 (0) 210 982 3235

sales@ddiamantopoulos.gr
info@ddiamantopoulos.gr
www.ddiamantopoulos.gr